



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

VENEZUELA.

Smallpox in Valencia, Puerto Cabello, and Caracas.

DEPARTMENT OF STATE,
Washington, D. C., June 18, 1898.

SIR: I have the honor to quote for your information the following extract from dispatch No. 1146 of the 7th ultimo from our consul at Maracaibo:

"Smallpox is spreading in Valencia, Puerto Cabello, and by latest news also in Caracas. Should this terrible disease reach Maracaibo there is no doubt that, with the filthy condition of the city and the absence of sanitary precaution, a great many of our poorer classes will fall victims to the scourge."

Respectfully, yours,

WILLIAM R. DAY,
Secretary.

Hon. SECRETARY OF THE TREASURY.

STATISTICAL REPORTS.

BAHAMAS—*Dunmore Town*.—Two weeks ended June 3, 1898. Estimated population, 1,472. No deaths.

Governors Harbor.—Two weeks ended June 4, 1898. Estimated population, 1,500. No deaths.

Green Turtle Cay.—Two weeks ended June 3, 1898. Estimated population, 3,900. No deaths.

Nassau.—Two weeks ended June 4, 1898. Estimated population, 11,000. Total number of deaths not reported. One death from enteric fever.

COLUMBIA—*Republic of Carthagena*.—Month of May, 1898. Estimated population, 25,000. Total number of deaths, 41.

Panama.—Twenty days ending June 10, 1898. Estimated population, 16,000. No deaths from contagious diseases.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns in England and Wales during the week ended June 4 correspond to an annual rate of 16.8 a thousand of the aggregate population, which is estimated at 11,218,378. The highest rate was recorded in Sunderland, viz, 24.6, and the lowest in Derby, viz, 9.9.

London.—One thousand three hundred and ninety-two deaths were registered during the week, including measles, 66; scarlet fever, 17; diphtheria, 30; whooping cough, 45; enteric fever, 3, and diarrhea and dysentery, 17. The deaths from all causes correspond to an annual rate of 16.1 a thousand. In greater London 1,789 deaths were registered, corresponding to an annual rate of 14.6 a thousand of the population. In the "outer ring" the deaths included 10 from measles, 10 from diphtheria, 3 from scarlet fever, and 13 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 4 in the 23 principal town districts of Ireland was 20.9 a thousand of the population. The lowest rate was recorded in Carrickfergus, viz, 7.3, and the highest in Porta-

down, viz, 30.9 a thousand. In Dublin and suburbs 132 deaths were registered, including enteric fever, 2; whooping cough, 5, and scarlet fever, 1.

Scotland.—The deaths registered in 8 principal towns during the week ended June 4 correspond to an annual rate of 23.0 a thousand of the population, which is estimated at 1,568,536. The lowest mortality was recorded in Perth, viz, 18.7, and the highest in Greenock, viz, 27.2 a thousand. The aggregate number of deaths registered from all causes was 694, including measles, 34; scarlet fever, 4; diphtheria, 2, and whooping cough, 43.

GUIANA, DUTCH—*Parimaribo*.—Month of April, 1898. Estimated population, 30,535. Total number of deaths, 67. No deaths from contagious diseases.

INDIA—*Singapore*.—Month of April, 1898. Estimated population, 97,111. Total number of deaths, 536, including cholera, 1; beriberi, 61; smallpox, 3, and phthisis pulmonalis, 102.

NICARAGUA—*San Juan del Norte*.—Month of May, 1898. Estimated population, 1,156. Total number of deaths, 4.